



Jpsw

IN THE U.S. PATENT AND TRADEMARK OFFICE

In re U.S. Patent Application of:

APPLICANTS: John Faucher

SERIAL NO.: 10/607,180 FILING DATE: June 25, 2003

EXAMINER: Holliday, Jaime Michele ART UNIT: 2617

ATTORNEY'S DOCKET NO.: 871.0112.U1(US)

TITLE: EMERGENCY RESPONSE SYSTEM WITH PERSONAL EMERGENCY
DEVICE

Mail Stop Amendment

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313

RESPONSE TO OFFICE ACTION

Sir:

This paper is herewith filed in response to the Patent Office's Office Action mailed on March 24, 2006, for the above-captioned U.S. Patent Application. As such, no petition for an extension of time or fee is believed to be due, as this response is herewith filed within the shortened statutory period. However, should the undersigned attorney be mistaken, please consider this a petition for any extension of time that may be required to maintain the pendency of this Patent Application, and charge deposit account no.: 50-1924 for any required fee deficiency. As there is a net gain of four claims in excess of twenty, Applicant believes that an extra claims fee of \$ 200 is due.

Please amend the application as shown below.

05/15/2006 HGE BREM1 00000005 10607180

01 FC:1202

200.00 OP